

## **MULCHER**

## 300 CMI Checklist

INSPECTION COMPLETED BY:	
UNIT #	
	<del></del>

	ITEM		SERVICE INTERVAL					
√		10 HRS	50 HRS	250 HRS	500 HRS	1000 HRS		
	Check engine oil level	✓						
	Check hydraulic oil level	✓						
	Check engine coolant level	√						
	Check air cleaner dust unloader valve & indicator gauge	✓						
	Drain water/fuel separator	✓						
	Clean debris from engine radiator	✓						
	Check engine exhaust system	✓						
	Check track tension 2" - 3"	✓						
	Check mulcher head teeth bolts - 400 ft/lb	✓						
	Grease boom pivots & boom cylinder pivots	√						
	Horn/Lights & Wind Shield Wiper	√						
	Back up alarm	√						
	Gauges functioning	✓						
	Fire Extinguisher-Charged	✓						
	First Aid Kit	√						
	Spill Kit	✓						
	Inspect Seat Belt	√						
	Clean cab fresh air filter		✓					
	Clean cab recirculation filter		✓					
	Check planetary final drive oil level		✓					
	Check mulcher head belt tention		✓					
	Check mulcher head skid plate bolt		✓					
	Grease mulcher upper shaft bearings		✓					
	Grease mulcher head door cylinder		✓					
	Clean engine and pumps compartment		✓					
	Check the main breaker reset button operation		√					

√	ITEM	SERVICE INTERVAL					
		10 HRS	50 HRS	250 HRS	500 HRS	1000 HRS	
	Check battery electrolyte level & terminals			✓			
	Check engine air intake & coolant hoses			✓			
	Drain water from fuel tanks			√			
	Check engine mounting bolts			✓			
	Check drive sprocket bolts			✓			
	Check traction pad bolts - 190 ft/lb			√			
	Lubricate mulcher head upper shaft bearings			✓			
	Grease radiator access door hinges			✓			
	Grease tool box & hydraulic compartment cover hinges			✓			
	Grease cab tilt cylinder pivots			√			
	Change engine oil and oil filter				√		
	Change engine fuel filters				√		
	Change hydraulic return filters				√		
	Change traction pump charge filter				√		
	Change mulcher pump charge filter				√		
	Replace engine air filters				√		
	Change hydraulic oil					✓	
	Clean hydraulic suction filter					✓	
	Change planetary final drive oil					✓	